POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

SITE NUMBER (to be assign REGION ed by Hq) 6

LA01317

GENERAL INSTRUCTIONS: Complete Sections I and III through XV of this form as completely as possible. Then use the information on this form to develop a Tentative Disposition (Section II). File this form in its entirety in the regional Hazardous Waste Log File. Be sure to include all appropriate Supplemental Reports in the file. Submit a copy of the forms to: U.S. Environmental Pro-

tection Agency; Site Tracking System; Hazardous Waste Enforcement Tack Force (EN-335); 401 M St., SW; Washington, DC 20460.							
I. SITE IDENTIFICATION							
A. SITE NAME (Formerly a division of B. STREET (or other identifier)							
DELTA SHIPYARD	Delta Ironworks)	Indust	rial Blyd.	IF. COUNTY NAME			
Houma		LA	70360	Terrebonne			
G. SITE OPERATOR INFORMATION		<u> </u>	1 / 0300				
Ralph Arceneaux,	Vice President			2. TELEPHONE (504)868-7			
3. STREET	4. CITY			5. STATE	6. ZIP CODE		
Industrial Blvd.	Houma			LA	70360		
1. NAME				2. TELEPHONI	E NUMBER		
	ident, Delta Servic	es Indust	ries	(504)868-	7450		
3. CITY				4. STATE	5. ZIP CODE		
Houma (P. O. Box 101)			LA	70361		
See Attachment "A"							
J. TYPE OF OWNERSHIP 1. FEDERAL 2. STAT	E 3. COUNTY	4. MUNICIPA	L X S. PRIVA	re			
		WORKERA	L M 3. FRIVA				
	II. TENTATIVE DISPOSITION	N (complete	this section last)				
A. ESTIMATE DATE OF TENTATIVE DISPOSITION (mo., day, & yr.)	B. APPARENT SERIOUSNES		••	<u></u>			
<u> </u>	1. HIGH	2. MEDIUM	X 3. LOW	A. NONE			
C. PREPARER INFORMATION		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			
1. NAME		l .	ONE NUMBER	3. DATE (mo., c			
Deborah Vaughn		(214)742		3/11/81			
A. PRINCIPAL INSPECTOR INFORMA	III. INSPECTIO	N INFORMAT	10N				
<u> </u>	,	2. TITLE					
Deborah A. Vaughn De	back or Vallet	FIT, Geo	ologist	<u> </u>			
1	•				AFOI		
Ecology & Environment,	inc., 1509 N. Main,	Suite 81	4, Dallas, IX 75201	(214)742-	49Z I		
1. NAME	2. ORGA	NIZATION	/3201	3. TELE	PHONE NO.		
Gordon Duncan	Ecology & Environm	ent		(214)742-	4521		
				()			
				Zapo	58 475419		
C. SITE REPRESENTATIVES INTERV	/IEWED (corporate officials, work	ers, residents)					
1. NAME	2. TITLE & TELEPHONE NO).	3.	ADDRESS			
Leon Toups	President (504)868-7450	Indu	strial Blvd.	Houma 1 A	70360		
Leon Toups	Exec. Vice Preside		Svcs.	, riounia, Lr	. , , , , ,		
Louis E. Talbot	(504)868-7450		11	11	11		
	Vice President						
Ralph Arceneaux	(504)868-7450	invand		SUPERFU			
Chris Olivier	Engineer, Delta Sh (504)868-7450	ipyaru	ŧI	" FILE	מא		
OII 13 OTTATE	(304)000-7400			· · ·			
				APR 3 0 1	992		
		9418109		711 11 O O P			
EPA Form T2070-3 (10-79)	PAG	E 1 OF 10		REORGANIZ	ne On Reverse		

Conti	 4 F	rom	F,	nnt

	III. IN	SPECTION INFORMATION (c	ontinued)		
D. GENERATOR INFORMATION	(sources of waste)	(See Attachment "B'	1)		
1. NAME	2. TELEPHONE NO.	3. ADD	RESS	4. WASTE TYPE	GENERATED
Delta Shipyards	(504)868-7450	Industrial Blvd.	.,Houma, LA	Oily Was	tes
E. TRANSPORTER/HAULER IN	FORMATION				
1. NAME	2. TELEPHONE NO.	3. ADD	-		TRANSPORTED
March Chemical, Inc	•	P.O. Box 1197, 1 LA 70726		Oily Was	tes
C+ Ci I		4421 Conlin St. Metaire, LA 7000	, # 203,	Od Iv Nac	+
Steam Services. Inc Richard A. Williams		3500 N. Causeway	JZ V Suita 1560	Oily Was	(See Attac
Exploration Corp.		Metaire, LA 7000		Oily Was	
	N SITE AND ALSO SHI	PPED TO OTHER SITES, IDENT			
1. NAME	2. TELEPHONE NO.	THE TO GIAER SITES, IDENT	3. ADDRESS	SES USED FOR DIS	-OJAC.
N/A		i			
					
				,	
				7	
C 0145 05 1145 55 55 55		101		/ II	
G. DATE OF INSPECTION (mo., day, & yr.)	ļ	TON I. ACCESS GAINED BY: (cr		in all cases)	1
J. WEATHER (describe)	8:45 a.m.	1. PERMISSION	2. WARRANT		
					1
Sunny; 70 ⁰ F					
		IV. SAMPLING INFORMATIO			
A. Mark 'X' for the types of a etc. and estimate when the	· · · · · · · · · · · · · · · · · · ·		ent e.g., regional lab,	other EPA lab, co	ontractor,
etc. and estimate when the	2. SAMPLE	HADIG.			4. DATE
1. SAMPLE TYPE	TAKEN (matk'X')	3. S AMPL	E SENT TO:		RESULTS AVAILABLE
a. GROUNDWATER					
b. SURFACE WATER					
c. WASTE					
d. AIR					
e. RUNOFF					
£ SPILL					
g. 50;L					
h. VEGETATION					
i. OTHER(specify)	Х	None taken during t	his inspection.		
B. FIELD MEASUREMENTS TA	KEN (e.g., radioactivit	y, explosivity, PH, etc.)			
1.TYPE	2. LOCAT	ON OF MEASUREMENTS	3	.RESULTS	
None					
		r			
1	ļ		1		

Continued From Page 2							
		IV. SAMF	LING INFOR	MA	TION (continued)		
C. PHOTOS 1. TYPE OF PHOTOS		i	. PHOTOSIA		ustopy of: EDA Pagion	V 1	(see attached photos
			2 110 103 11	•	estoblish EFA Region	V J	. (see accached photos
D. SITE MAPPED?	HAL						
		FDA Pon	ion VI (s	۵۵	e attached map and sk	et	ches)
A YES. SPECIFY LOCATION)F	MAPS: LIA NEG	1011 11 (3		, accached map and sh		1
E. COORDINATES							
1. LATITUDE (degminsec.)				2	. LONGITUDE (degminsec.)		
29 ⁰ 34'02" N					90 ⁰ 42'18" W	1	
		······································	V. SITE INFO	R	MATION		
A. SITE STATUS		······································					
1. ACTIVE (Those inductrial of	r	2. INACTIV	/E (Those	[3. OTHER(specify):		
municipal sites which are being us for waste treatment, storage, or dis		sites which no	longer receive		(Those sites that include such inc. where no regular or continuing use		
on a continuing basis, even if infre		an wastess,			has occurred.)	٠.	ino dito ioi wadib diopodal
quently.)							
B. IS GENERATOR ON SITE?				<u> </u>			
1. NO X 2. YES(sp	ecit	y generator's four-d	ligit SIC Code):	37	731. 3732		
C. AREA OF SITE (in acres)		D. ARE THERE	BUILDINGS O	N ·	THE SITE?		
		[] 1. NO	X 2. YES(s	pe	cify):		
Approx. 40							
		VI. CHARA	CTERIZATIO	N	OF SITE ACTIVITY		
Indicate the major site activity(es)	and details relati	ing to each ac	tiv	ity by marking 'X' in the appro	pri	ate boxes.
A. TRANSPORTER	х,	B. STOP	RER	'X'	C. TREATER	×	D. DISPOSER
1.RAIL		1. PILE			1. FILTRATION	T	1. LANDFILL
2. SHIP	X	2. SURFACE IMPO	UNDMENT		2. INCINERATION		2. LANDFARM
3. BARGE		3. DRUMS			3. VOLUME REDUCTION	Γ	3. OPEN DUMP
X 4. TRUCK	X	4. TANK, ABOVE	GROUND	X	4.RECYCLING/RECOVERY	Γ	4. SURFACE IMPOUNDMENT
5. PIPELINE		5. TANK, BELOW	GROUND		5. CHEM./PHYS./TREATMENT	Ι	5. MIDNIGHT DUMPING
6.OTHER(specify):	L	6.OTHER(specify):		6. BIOLOGICAL TREATMENT		6. INCINERATION
					7. WASTE OIL REPROCESSING		7. UNDERGROUND INJECTION
					8. SOLVENT RECOVERY	L	8.OTHER(specify):
					9.OTHER(specify):		
			,			Ì	
						ĺ	
E. SUPPLEMENTAL REPORTS: If which Supplemental Reports you					s listed below, Supplemental Repo	rts	must be completed. Indicate
1. STORAGE	2. 11	CINERATION [3. LANDFIL	L	X 4. SURFACE] 5	DEEP WELL
6. CHEM/BIO/ DHYS TREATMENT	7. L	ANDFARM [8. OPEN DL	JMF	9. TRANSPORTER] 1	D. RECYCLOR/RECLAIMER
VII. WASTE RELATED INFORMATION							
A. WASTE TYPE							
X 1. LIQUID	2. S	OLID [3. SLUDGE		4. GAS		
B. WASTE CHARACTERISTICS							
1. CORROSIVE	2. 10	GNITABLE [3. RADIOAC	CTI	VE X 4. HIGHLY VOLATILE		
_ =	5. F	EACTIVE [7. INERT		8. FLAMMABLE		
9. OTHER(specify):		·					
C. WASTE CATEGORIES 1. Are records of wastes available	S ₁	pecify items such a	s manifests, inv	/en	tones, etc. below.		
Yes. Manifests and	re	cords are k	ept at th	е	shipyard office.		

Continued From Fron														,
				ERELA										
2. Estimate the amou	1	meas				egor	y; mark	'X' to	indicat	e which wast	es are p	res	sent.	
a. SLUDGE	b. OIL			SOLVEN	TS	1		EMICA		e. SOLIOS		<u> </u>	f. OTH	ER
AMOUNT			AMOU	NI		1	MOUNT		^	MOUNT		AN	HOUNT	
UNIT OF MEASURE	500	-	UNIT	OF MEAS	URE	UN	IT OF	MEASU	RE U	NIT OF MEAS	URE	U.	NIT OF ME	ASURE
	55 gal drum	nc / 1	/ear						1					
PAINT,	X OILY		x ·	HALOGE!	NATED TS	×-	(1) ACI	O S	×	(1) FLYASH	****	· x ·	I) PHARM	RATORY.
(2) METALS SLUDGES	X(2) OTHER(speci	(y):	(2)	NON-HAL	. O G N T C	p.	(2) PIC	KLING JORS		(2) ASBESTO	s		(2) HOSPI	TAL
(3) POTW	Tank bottom	ıs -		OTHER(S	·		(3) ÇAU			(3) MILLING/	MINE		(3) RADIO	ACTIVE
(4) SLUDGE							(4) PES	TICIDE	s	(4) FERROUS	SMELT. ES		(4) MUNIC	IPAL
(5) OTHER(specify):							(5) DYE	\$/INK	i	(5) NON-FER			(5) OTHE	R (specify).
							(6) C Y A	NIDE		(6) OTHER(S	pecify):			
		1					(7) PHE	NOLS						
	-						(8) HAL	OGEN	•		;			
							(9) PC 8	3						
							(10) ME	TALS						
							(11) ОТ	HER(s	pecify).					
D. LIST SUBSTANCES	OF GREATEST CON	CERN	WHIC	HAREC	N THE	SITE	(place	in des	cendine o	rder of hezerd)				
			2. FO	RM	3	. TO	CICITY				<u> </u>			
1. SUBSTA	NCE	a. 50	(merk			b.	k 'X')	a.	4. CA	NUMBER	5. 4	4 MC	TNUC	6. UNIT
		LIC) LI	Q. POR	HIGH	ME	o- row	NONE						5516
Slop 0il			Х				X		68477	7-26-9	2	50		bbls per yr
310p 011		_	+^	_	1	 	+~		00				 	bbls
Tank Bottoms			$\perp x$				Х		68476	5-53-9	. 2	50	1	per yr
		<u> </u>			<u> </u>			<u> </u>						
		 	+									_		
		-												
		<u> </u>												
			1											
	· · · · · · · · · · · · · · · · · · ·	<u></u>		VIII. HA	7480	DE	SCOLOT	104			l			1
FIELD EVALUATION	HAZARD DESCR	IPTI	ON:						te that t	he listed haz	ard exis	sts.	Describe	e the
hazard in the space p														
A. HUMAN HEALT	TH HAZARDS													

Continue On Page 5

PAGE 5 OF 10

Continue On Reverse

EPA Form T2070-3 (10-79)

VIII. HAZARD DESCRIPTION (continued)
H. DAMAGE TO FLORA/FAUNA
·
. FISH KILL
J. CONTAMINATION OF AIR
K. NOTICEABLE ODORS
'
X L. CONTAMINATION OF SOIL
Some staining of soils from oily wastes waters in the surface impoundments has occurr (see photos). Soil contamination appears to be limited to the immediate area surroun
ing the surface impoundments.
ing the surface impoundments.
M. PROPERTY DAMAGE
M. PROPERTI DAMAGE
·

N. FIRE OR EXPLOSION O. SPILLS/LEAKING CONTAINERS/RUNOFF/STANDING LIQUID P. SENER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS		VIII. HAZARD DESCRIPTION (continued)
O. SPILLS/LEAKING CONTAINERS/RUNOFF/STANDING LIQUID P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS	N. FIRE OR EXPLOSI	
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY		
P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY	O SPULS/I FAKING	CONTAINERS/BUNGES/STANDING LIQUID
O. EROSION PROBLEMS R. INADEQUATE SECURITY	O. SPIEES/EEARING	CONTAINERS/ RONOF P/STANDING EIQUID
O. EROSION PROBLEMS R. INADEQUATE SECURITY		
Q. EROSION PROBLEMS		
O. EROSION PROBLEMS R. INADEQUATE SECURITY		
O. EROSION PROBLEMS R. INADEQUATE SECURITY		
O. EROSION PROBLEMS R. INADEQUATE SECURITY		
O. EROSION PROBLEMS R. INADEQUATE SECURITY		
O. EROSION PROBLEMS R. INADEQUATE SECURITY		
O. EROSION PROBLEMS R. INADEQUATE SECURITY		
O. EROSION PROBLEMS R. INADEQUATE SECURITY	[] D CP	AAN BOOK FUC
R. INADEQUATE SECURITY	L DEWER, STORM DE	AIN PROBLEMS
R. INADEQUATE SECURITY		
R. INADEQUATE SECURITY		
T R. INADEQUATE SECURITY		
T R. INADEQUATE SECURITY		
T R. INADEQUATE SECURITY		
T R. INADEQUATE SECURITY		
R. INADEQUATE SECURITY		
R. INADEQUATE SECURITY	•	
T R. INADEQUATE SECURITY		
	Q. EROSION PROBLE	MS
	R. INADEQUATE SEC	URITY
S. INCOMPATIBLE WASTES		
S. INCOMPATIBLE WASTES	•	
	S. INCOMPATIBLE W	ASTES
	(_) SI THEOMY A LIBER W	10. EV

VIII. HAZARD DESCRIPTION (continued)						
T. MIDNIGHT DUMPING						
		· · · · · · · · · · · · · · · · · · ·				
U. OTHER (*pecify):						
		•				
7 2 3 4						:
					•	
	IX.	POPULATION DIREC	TLY AFFECTED BY SI			
A. LOCATION OF POPULATION		APPROX. NO.	C. APPROX. NO. OF PEO AFFECTED WITHIN UNIT AREA	PLE	D. APPROX. NO. OF BUILDINGS AFFECTED	E. DISTANCE TO SITE (specify units)
1.1N RESIDENTIAL AREAS		250	250		55] Mile
2 IN CHAMERCIAL 2 DR INDUSTRIAL AREAS		2000	2000		25	l Mile
IN PUBLICLY 3. TRAVELLED AREAS		5000	5000		0	l Mile
A PUBLIC USE AREAS (parks, schools, etc.)		0	0		0	l Mile
X. WATER AND HYDROLOGICAL DATA A. DEPTH TO GROUNDWATER(*pecify unit) B. DIRECTION OF FLOW C. GROUNDWATER USE IN VICINITY						
1 to 2 Ft.	-,,	South	· - ··	J. 3	None	
D. POTENTIAL YIELD OF AQUIFER			NKING WATER SUPPLY	F. 01	RECTION TO DRINKIN	G WATER SUPPLY
>500 Gallons per min. Solution Composite Composite Composite						
G. TYPE OF DRINKING WATER SUPPLY 1. NON-COMMUNITY 2. COMMUNITY (specify town): Houma Water Dept. (Little Bayou Black) > 15 CONNECTIONS* > 15 CONNECTIONS						
X 3. SURFACE WATER 4. WELL						

Continued From	Page 8					
		X. WATER AND HYDROLOGICAL	DATA (continued)		
H. LIST ALL DRI	NKING WATER WEL	LS WITHIN A 1/4 MILE RADIUS OF SITE				
1. WELL	2. DEPTH (specify unit)	3. LOCA (proximity to popula	TION tion/build	fings)	NON-COM- MUNITY (mark 'X')	COMMUN- ITY (mark 'X')
None						
					,	
I. RECEIVING WA	TER					
1. NAME Houma Nay Canal	igation		STREAM:	S/RIVERS		
•	AND CLASSIFICAT	TION OF RECEIVING WATERS				
Fish, wild	dlife and ot	her aquatic and semi-aqua e Watershed.	tic li	fe, secondary cont	act recr	eations.
1416 01 6	ne refreboill					
LOCATION OF SI	TE IC IN:	XI. SOIL AND VEGITAT	ON DAT	<u> </u>		
	FAULT ZONE	B. KARST ZONE] c. 100 Y	EAR FLOOD PLAIN	D. WETLAND	0
X E. A REGUL	ATED FLOODWAY	F. CRITICAL HABITAT	G. RECH	HARGE ZONE OR SOLE SOUR	CE AQUIFER	!
		XII. TYPE OF GEOLOGICAL MAT	ERIAL O	BSERVED		
Mark 'X' to indic	cate the type(s) of	geological material observed and spec	ify where	necessary, the component	parts.	
X A. CVERBU	RDEN X	B. BEDROCK (specify below)	×	C. OTHER (ape	city below)	
1. SAND	X Qua	ternary Terrace & Alluvia	Depos	sits		
X 2. CLAY	x	H				
3. GRAVEL						
		XIII. SOIL PERMEAI	BILITY			
A. UNKNOWN D. MODERAT G. RECHARGE AF	TE (10 to .1 cm/sec.	B. VERY HIGH (100,000 to 1000) E. LOW (.1 to .001 cm/sec.)	cm/sec.)	C. HIGH (1000 to 10 c	-	ec.)
X 1. YES	2. NO 3. C	Only in that it	is a d	coastal wetland		
H. DISCHARGE A		OMMENTS: Only in that it	is a c	coastal wetland.		
I. SLOPE	OF SLOPE 2.5	PECIFY DIRECTION OF SLOPE, CONDIT	ION OF SI	LOPE, ETC.		
05% J. OTHER GEOLG	SICAL DATA	outh				
See Attach						

Continued From Front XIV. PERMIT INFORMATION List all applicable permits held by the site and provide the related information. F. IN COMPLIANCE (mark 'X') D. DATE
ISSUED
(mo.,dey,&yr.) E. EXPIRATION DATE A. PERMIT TYPE (0.g.,RCRA,State,NPDES,etc.) B. ISSUING AGENCY C. PERMIT 3. UN+ (mo.,day,&yt.) Y E S KNOWN νО **RCRA EPA** LA0058473413 Unk. Unk. Χ NPDES-ISS # **EPA** 6D-343-I1 10/22/80 Unk. χ **NPDES** Louisiana LA# 0059897 χ Unk. Unk. XV. PAST REGULATORY OR ENFORCEMENT ACTIONS X NOHE YES (summerize in this space)

NOTE: Based on the information in Sections III through XV, fill out the Tentative Disposition (Section II) information on the first page of this form.

STORAGE FACILITIES SITE INSPECTION REPORT

INSTRUCTION Answer and Explain

(Surplemental Report)	as Necessary.
1. STORAGE AREA HAS CONTINUOUS IMPERVIOUS BASE [X] YES [] NO	
2. STORAGE AREA HAS A CONFINEMENT STRUCTURE	
X) YES NO	
3. EVIDENCE OF LEAKAGE/OVERFLOW (If "Yes", document where and how much runoit is overflowing or leaking	ing from containment)
TYES X NO	
4. ESTIMATE TYPE AND NUMBER OF BARRELS/CONTAINERS 5 above ground storage tanks for recycled oil. See photos 1 & 5.	
5. GLASS OR PLASTIC STORAGE CONTAINERS USED	والمنافرة
TES X NO	
6. ESTIMATE NUMBER AND CAPACITY OF STORAGE TANKS	
Approx. 100,000 gallons.	
7. NOTE LABELING ON CONTAINERS	
Storage tanks are labeled with safety notices.	
8. EVIDENCE OF LEAKAGE CORROSION OR BULGING OF BARRELS/CONTAINERS/STORAGE TANKS (11"Yes location and extent of damage. Take PHOTOGRAPHS)	s'', document evidence. Describe
location and extent of damage. Take PHOTOGRAPHS) THE YES NO	
1 123 Lag 119	
9. DIRECT VENTING OF STORAGE TANKS	
X YES NO	
 CONTAINERS HOLDING INCOMPATIBLE SUBSTANCES (If "Yes", document evidence. Describe location and waste. Take PHOTOGRAPHS.) 	d identity of hazardous
TYES X NO	
11. INCOMPATIBLE SUBSTANCES STORED IN CLOSE PROXIMITY (If "Yes", document evidence. Describe loc hazardous waste. Take PHOTOGRAPHS.)	ation and identity of
TES X NO	×
12. ADEQUATE CONTAINER WASHING AND REUSE PRACTICES	
X YES NO 13. ADEQUATE PRACTICES FOR DISPOSAL OF EMPTY STORAGE CONTAINERS	
TX YES NO Non-disposable storage containers.	

INSTRUCTION SURFACE IMPOUNDMENTS SITE INSPECTION REPORT Answer and Explain (Supplemental Report) as Necessary. 1. TYPE OF IMPOUNDMENT Two identical impoundments in filled marsh area. See photo #5. 2. STABILITY/CONDITION OF EMBANKMENTS Good. See photo #4. 3. EVIDENCE OF SITE INSTABILITY (Erosion, Settling, Sink Holes, etc.) 4. EVIDENCE OF DISPOSAL OF IGNITABLE OR REACTIVE WASTE THES THE 5. ONLY COMPATIBLE WASTES ARE STORED OR DISPOSED OF IN THE IMPOUNDMENT X YES NO 6. RECORDS CHECKED FOR CONTENTS AND LOCATION OF EACH SURFACE IMPOUNDMENT YES V NO 7. IMPOUNDMENT HAS LINER SYSTEM 7a. INTEGRITY OF LINER SYSTEM CHECKED TTYES X NO YES NO 7b. FINDINGS Subsurface soils have permeability of 10^{-7} to 10^{-8} cm/sec. See Attachment "C". 8. SOIL STRUCTURE AND SUBSTRUCTURE Medium gray organic clay at surface to soft gray silty clay with sand traces at 40 to 50 feet. 9. MONITORING WELLS X Tyes Two (2) wells installed. (See Attachment "C" - monitoring well logs.) 10. LENGTH, WIDTH, AND DEPTH LENGTH 75' (each) WIDTH 40' (each) DEPTH 5' (each) Two impoundments. 11. CALCULATED VOLUMETRIC CAPACITY 15,000 ft. 12. PERCENT OF CAPACITY REMAINING 30% 13. ESTIMATE FREEBOARD 1.5 ft. 14. SOLIDS DEPOSITION XII YES NO Low solids deposited. 15. DREDGING DISPOSAL METHOD Unknown 16. OTHER EQUIPMENT

ATTACHMENT A

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT SUPPLEMENT SHEET

Instruction - This sheet is provided to give additional information in explanation of a question on the form T2070-3.

Corresponding number on form

Additional Remark and/or Explanation

I, i.

Delta Ironwords was a large industrial park (approximate 165 acres) located on Industrial Blvd. in southeast Houma, LA. . The corporation of Delta Ironworks owned and operated 7 divisions, all located within the Delta Ironworks industrial facilities. These 7 divisions were:

(1) Delta Shipyard - repair and painting of ships.

(2) Delta Fabrication - produces offshore oil support equipment (platforms).

(3) Delta Construction - produces pipes.

- (4) Delta Safety & Supply distributes safety equipment and constructs fire safety equipment.
- (5) Heldenbrand inspection, repair and modification of drill pipes.

(6) Delta mud & chemical - distributor of drilling muds.

(7) Gemoco - construction of offshore oil drill support equipment.

In 1969, Delta Ironworks was sold to Chromalloy American Corp., St. Louis, MO. Chromalloy maintained all 7 divisions until 1980. In November 1980 Chromalloy sold 5 of the divisions to Delta Services Industries, keeping Delta Mud & Chemical and Gemoco.

At the present time the old Delta Ironworks (LA 01317) area houses the same 7 divisions listed above, but has two owners: (1) Delta Services Industries, Houma, LA and (2) Chromalloy American Corp., MO.

Upon inspecting the facilities, the FIT representatives found that only Delta Shipyard, owned by Delta Services Industries, may deal with hazardous wastes that could potentially pose a contamination problem.


Delta Shipyard consists of cleaning and repair facilities for small cargo and fishing vessels. Before any repair work may commence the vessels must be certified vapor free by the Coast Guard. The vessels are steam cleaned and the oily wastes are removed. The generated oils and waste waters are sent through a separation process after which the waste oil is recovered and sold. The wastes are stored in evaporation ponds (surface impoundments).


III, E.

J & L Oils, P. O. Box 209, Geismar, LA 70734, (504)673-6785,

Oily Wastes
M. K. Fuels, Inc., P. O. Box 2802, Baton Rouge, LA 70821, (504)343-4662, Oily Wastes

Clayton L. Holden, P.O. Box 151, Chalmette, LA. (no longer used because he refuses to handle a manifest), Oily Wastes





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

DATE:	1 6 AP	R 1981		•
SUBJECT:	Potenti	al Hazardous Waste Site		
FROM:		A. Gazda, Chief nce Section (6ASASC)		·
TO:		lliot, Chief Enforcement Branch (6AEG)		
	Site Na Locatio Hazit N TDD No.	n Houma Late o. LA 1317		
	A. Fie	ld Report:		
-	1.	T2070-2 attac T2070-3 recon sampling attac	thed (\checkmark) forwarded on the forwarded on	
	2.	§311 potential	yes () no (\(\section \)	
		Priority		
		analytical results attached	yes () no (🔀)	
		Proposed §311 action (Emergency)	Response Branch)	
	3.	ISS inspection conducted	yes () no (
		ISS Compliance Report attached	yes () no (×)	
		ISS Non-notifier Report attached	yes () no (\times)	
	4.		any amoutical	10 CRX
	B. Ana	lytical Results: no somplo	s collected	
	1.		ched () est. completion ched () est. completion	n date
	2.	Drinking water wells samples	yes () no ()	
	3.	Suggested further action	SUPERFUND FILE	
			APR 3 0 1992	
	cc: Ad	Hele Mitchell (6AWS)	DEORGANIZED	
50A B 1400 A			Las 058 475 416	7

EPA Form 1320-6 (Rev. 3-76)

P. O. BOX 80379 • 316 HIGHLANDIA DRIVE • BATON ROUGE, LOUISIANA 70808 • PHONE (504) 292-4790

ONP BOUTWELL, JR. PHD MOB ADAMS, ME BRYANT, ME NETH DERICK, MS . TERED PROFESSIONAL ENGINEERS

AROWN, MS

November 26, 1980

T. Baker Smith and Sons, Inc. Environmental Research Division P. O. Box 2266 Houma, Louisiana 70361

Attention: Mr. Horace J. Thibodaux, RS

Director of Environmental Research

Preliminary Soil Borings and Laboratory Testing Delta Shipyard Disposal Pit Houma, Louisiana File: 80-173

Gentlemen:

We have completed the field work and laboratory tests performed on samples obtained from two borings completed during the period November 3 and 4, 1980, at the Delta Shipyard disposal pit. Additionally, two observation wells with caps, were installed close to the borings (see Figure 2). The findings of the borings and the results of the laboratory testing are presented herein. The approximate locations of the borings are shown on the Boring Plan, Figure 1. The soil data on this cross section has been interpolated between the borehole locations and does not define continuity of the strata. For details, refer to the individual logs of the borings. The field and laboratory procedures used in this investigation are discussed below.

It should be noted that a geotechnical/geologic report was not requested at this stage. If such a report is later required, then necessary additional borings and testing, as well as engineering analyses can be performed.

FIELD EXPLORATION

General. The borings were made with tractor-mounted, rotary-type drilling equipment. Samples were obtained continuously in the upper 20 feet; below the 20 foot level, samples were generally obtained on 3 to 5 foot centers. The total exploration program consisted of 100 lineal feet of borings, 40 feet of which were sampled continuously. Logs of the borings are attached. The boreholes were grouted with a thick bentonite/cement grout. Two observation wells were installed as indicated on the Monitoring Well logs (W-1 and W-2) and Figure 1.

CONSULTATION – EXPLORATION – TESTING – INSPECTION

Sampling Procedures. In the cohesive and semi-cohesive soils, relatively undisturbed samples were secured using a 3 inch diameter, thin-wall Shelby Tube sampler. In this sampling procedure, the borehole is advanced to the desired level, and the tube is lowered to the bottom of the boring. It is then forced about 2 feet into the undisturbed soil in one continuous stroke. The tube is retrieved and the sample extruded by a hydraulic piston. The sample is then visually classified and a penetrometer relative strength test performed. Any disturbed portions are discarded, and the sample protected for transportation to the laboratory.

LABORATORY PROCEDURES

Some samples from the various strata were tested in the laboratory to determine their classifications and permeability characteristics. The samples and types of tests performed were selected by a geotechnical engineer. The testing program conducted is described below.

<u>Classification Tests.</u> Thirteen (13) Atterberg Limit Determinations, and one Separate Moisture Content Determination were conducted to classify the soil types.

Consolidation/Permeability Tests. Two (2) Standard Consolidation tests were performed. These were used in determining the Coefficient of Permeability of fine grained soils. The results are given below.

Boring No.	Depth (feet)	Perm. Coef. (cm/sec.)	Soil Description
B-1	6-8	4.3×10^{-8}	Gray organic clay Dark gray organic clay (peat)
B-2	12-14	1.2×10^{-7}	

Chemical Tests. Fourteen (14) pH determinations were performed to determine soil acidity/alkalinity. The results are give on Table I.

The results of the consolidation test are presented on Figure A-I through A-II; the remainder of the testing program is summarized in the appropriate columns of the boring logs.

We will be happy to answer any questions which may arise concerning this information. It has been a pleasure to work with Mr. Thibodaux on this project, and we look forward to serving T. Baker Smith and Sons again in the future.

Sincerely,

who ?

Narendra M. Dave


Project Engineer

Richard B. Adams, P.E.

/11t

Enclosures

Copies submitted: (4)




SOIL PROFILE

No Horiz. Scale

NOTE:

Strata interpolated between boot define continuity between



No Scale